

### DESCRIPTION

Trendy rimless design offering ultimate comfort with non-slip bridge and end tips

- Ventilated frames with soft inserts
- Lightweight, rimless design provides all day comfort
- Different lens available. Gradient Lens for more comfort, anti-reflective coating for a perfect vision, or against blue light . A solution for each application.
- Adjustable rubber nosepiece provides a comfortable fit
- Panoramic vision in all circumstances.
- Anti-Fog lens coating as standard (except on clear AR lens)



250-32-0020-EN

### TECHNICAL DATA

LENS	
TYPE	Double
MATERIAL	Polycarbonate 99.99% UVA et UVB light absorption
THICKNESS	2.2 mm
BASE CURVE	9
FRAME	
MATERIAL	Polycarbonate
PACKAGING	
PACKAGING	12 pair inner box, 144 pair per case
CASE ZIZE	cm: 34 x 19.1 x 9.6
CASE WEIGHT	576 gr
SINGLE PAIR WEIGHT	21.8 gr

UNRIVALLED COMFORT THROUGH LIGHTNESS AND NOSE-ADJUSTABLE, DESIGNED TO FORGET THAT YOU WEAR IT

### ITEM NUMBERS & BARCODES

ITEM	FRAME COLOR	LENS COLOR & COATING	LENS CODE	FRAME CODE
250-32-0010-EN	Clear	Clear, Anti-Scratch/ Anti-Reflective	2C-1.2 P1 FT CE	P EN 166 FT CE
250-32-0020-EN	Clear	Clear, Anti-Scratch/Anti Fog	2C-1.2 P1 FT CE	P EN 166 FT CE
250-32-0021-EN	Gloss Black	Gray, Anti-Scratch/Anti Fog	5-3.1 P 1 FT CE	P EN 166 FT CE
250-32-0226-EN	Translucent Brown	Indoor/Outdoor, Anti-Scratch/Anti Fog	5-1.7 P 1 FT CE	P EN 166 FT CE
250-32-0031-EN	Gloss Black	Gradient, Anti-Scratch/Anti Fog	5-1.1/1.4 P 1 FT CE	P EN 166 FT CE



250-32-0021-EN



250-32-0226-EN



250-32-0010-EN



250-32-0031-EN

PIP FRANCE SAS

120 GRANDE RUE, 85570 L'HERMENAUULT // Tel: + 33 (0) 2 51 50 19 80 // info@pipeurope.com



This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.