

# TECHNICAL SHEET

# G-TEK® KEV™ SEAMLESS KNIT KEVLAR® BLENDED GLOVE WITH NITRILE COATED FOAM GRIP ON PALM & FINGERS – 18 GAUGE, TOUCH SCREEN COMPATIBLE

- Seamless knit construction provides comfort without sacrificing dexterity
- Kevlar® fiber shell provides high tensile strength relative to its weight, is inherently cut resistant and will not melt, ignite or conduct electricity
- Neofoam<sup>™</sup> coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Knit wrist helps prevent dirt and debris from entering the glove
- 18 gauge liner for maximum dexterity
- · Cotton color binding denotes sizing
- Launderable for extended life and to reduce replacement costs

#### **APPLICATIONS**

- Material handling
- · General assembly
- Sanitation
- General maintenance
- Woodworking
- Waste handling
- Fishing industries
- Recycling

## **CARE INSTRUCTIONS**

Machine wash in warm water with detergent. Rinse well and spin extract using high speed. Tumble dry on low to medium heat setting. Can be dry cleaned. Do not bleach.

### **TECHNICAL DATA**

MATERIAL	Kevlar® / Nylon / Spandex / Steel Fiber / Neofoam™ Coating					
CONSTRUCTION	Seamless knit					
COLOR	Shell: ■ Gray / Coating: ■ Black					
WRIST STYLE	Elastic knit					
SIZES	7 -11					
PACKAGING	1 pair per bag, 12 pairs per dozen, 72 pairs per case					
CASE DIMENSIONS	15" x 12.2" x 9.8" / 38cm x 31cm x 25cm					
CASE WEIGHT	7	8	9	10	11	
	6.6 lbs	7.3 lbs	7.7 lbs	8.8 lbs	9.5 lbs	
	3 kgs	3.3 kgs	3.5 kgs	4 kgs	4.3 kgs	
C00	China					

#### **PERFORMANCE PROPERTIES**

EN388: 4331	ASTM F2992	ASTM F2992-15 ANSI Cut Level A3 (Adopted by ANSI/ISEA 02/16)					
ABRASION	0	1	2	3	4	-	
CUT (2003)	0	1	2	3	4	5	
TEAR	0	1	2	3	4	-	
PUNCTURE	0	1	2	3	4	-	









## **DIMENSIONS (IN/CM)**

					11
Α	8.9 / 21.8	9.4 / 22.8	9.8 / 23.5	10 / 24.8	10.4 / 25.8
В	3.3 / 8.5	3.5 / 9	3.7 / 9.5	4 / 10.2	4.2 / 10.6
Н	Red	Yellow	■ Brown	■ Black	Blue

