

TECHNICAL SHEET

16-133R

EN388

G-TEK 3RX 13G BLACK RECYCLED YARN/ELASTANE BLENDED SEAMLESS CUT RESISTANT KNIT GLOVES WITH GRAY POLYURETHANE GRIP

- Each pair is made from one recycled plastic bottle, reinforcing our commitment to developing innovative products that are less harmful to the environment
- Seamless knit blended liner fibers made of recycled PET water bottles,
 Polykor fiber and elastane for comfort, finger dexterity and breathability
- 55% of the glove's weight is made from recycled material which allows 40.83g reduction in CO2 emissions per pair
- Polyurethane coating on the palm and fingertips provides excellent abrasion resistance and excellent dry, slightly damp or oily grip. Its fine coating allows precision handling.
- Resistant to contact heat at 100°C
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Washable, resistant to chemicals, water, and ultraviolet light
- Touchscreen compatible, Oeko Tex and Global Recycled Standard (GRS) certified.
- 6 pair biodegradable polybag packaging

APPLICATIONS

- Logistics
- · Metal sheets handling
- Assembly of parts
- · Handling of small sharp parts

CARE INSTRUCTIONS

Recommend washing gloves in slightly warm water not exceeding 40°C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Tumble dry on low - maximum temperature 140°F (60°C).

TECHNICAL DATA

| MATERIAL | 90% recycled plastic /10% elastane with PU coating | | | | | | |
|-----------------|--|--------|--------|--------|--------|------|--------|
| CONSTRUCTION | Seamless knit | | | | | | |
| COLOR | Shell: ■ Black / Coating: ☐ Gray | | | | | | |
| WRIST STYLE | Knit wrist | | | | | | |
| SIZES | 6 -11 | | | | | | |
| PACKAGING | 6 pairs per polybag, 72 pairs per case | | | | | | |
| CASE DIMENSIONS | 36cm x 30cm x 32cm | | | | | | |
| CASE WEIGHT | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| | 3.4 kg | 3.6 kg | 3.8 kg | 4.2 kg | 4.5 kg | 5 kg | 5.5 kg |
| C00 | China | | | | | | |

PERFORMANCE PROPERTIES

| EN388: 4X31C | | | | | | | |
|-----------------|---|---|---|---|---|---|---|
| ABRASION | 0 | 1 | 2 | 3 | 4 | - | - |
| CUT (2003) | 0 | 1 | 2 | 3 | 4 | 5 | Х |
| TEAR | 0 | 1 | 2 | 3 | 4 | - | - |
| PUNCTURE | 0 | 1 | 2 | 3 | 4 | - | - |
| CUT (ISO 13997) | А | В | С | D | Е | F | Х |











40,83g reduction in CO2 emissions per pair

DIMENSIONS (CM)

| | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|--------|------|--------|---------|---------|------|--------|
| A | 21.5 | 22.5 | 23.5 | 24.5 | 25.5 | 26.5 | 27.5 |
| В | 9.3 | 9.5 | 9.8 | 10 | 10.5 | 11 | 11.5 |
| Н | Purple | Red | Yellow | ■ Brown | ■ Black | Blue | ■ Gray |

